

## POLIO BOOSTER

1 – 3 YRS 4 MONTHS	No vaccine history	Can be given hexavalent vaccine ( <b>Does contain Polio vaccine</b> )
	Unimmunised or 1 to 2 doses of primary imms (which are 3 in total)	Can be given hexavalent vaccine ( <b>Does contain Polio vaccine</b> ) but <b>4weeks</b> after getting last vaccine).
	Has all 3 primary doses	Can be given an <b>additional</b> hexavalent vaccine but 4weeks after last Polio containing vaccine)
3 YRS 4 MONTHS-10-YEAR-OLDS	No vaccine history	Can be given first hexavalent vaccine ( <b>Does contain Polio vaccine</b> )
	Unimmunised or 1 to 2 doses of primary imms (which are 3 in total)	Can be given hexavalent vaccine ( <b>Does contain Polio vaccine</b> ) but <b>4weeks</b> after getting last vaccine
	Has all 3 primary doses but <b>NO</b> preschool booster	Can be given Preschool booster (( <b>Does contain Polio vaccine</b> ), but <b>12 months</b> after completing primary course
	Has all 3 primary doses and preschool booster more than <b>12 months ago</b>	Can be given <b>additional Polio dose</b> .
	Has all 3 primary doses and preschool booster less than <b>12 months ago</b>	<b>No</b> additional dose needed. Will get Polio booster when due at age 14.